

1           1.    A method comprising:  
2                displaying a keyboard image on a user interface;  
3    and  
4                moving a data entry area on said interface to  
5    display said keyboard image.

1           2.    The method of claim 1 including moving a data  
2    entry area on said interface to enable an unobstructed view  
3    of said keyboard image and said data entry areas.

1           3.    The method of claim 1 including searching for  
2    coding associated with data entry areas to identify the  
3    location of a data entry area.

1           4.    The method of claim 3 including searching for  
2    characteristic coding of a web page.

1           5.    The method of claim 1 including moving data from  
2    the location where a keyboard image is to be positioned and  
3    positioning said data at another location on said  
4    interface.

          6.    The method of claim 1 including scrolling the  
data entry area to prevent the data entry area from being  
obscured by the keyboard image.

1           7.    An article comprising a medium storing  
2 instructions that enable a processor-based system to:  
3               display a keyboard image on a user interface; and  
4               move a data entry area on said interface to  
5 display said keyboard image.

1           8.    The article of claim 7 further storing  
2 instructions that enable the processor-based system to move  
3 a data entry area on said interface to enable an  
4 unobstructed view of the keyboard image and the data entry  
5 area.

1           9.    The article of claim 7 further storing  
2 instructions that enable the processor-based system to  
3 search for coding associated with data entry areas to  
4 identify the location of a data entry area.

1           10.   The article of claim 9 further storing  
2 instructions that enable the processor-based system to  
3 search for characteristic coding of a web page  
4

1           11.   The article of claim 7 further storing  
2 instructions that enable the processor-based system to move  
3 data from a location where a keyboard image is to be

4 positioned and position the data at another location on the  
5 interface.

1 12. The article of claim 7 further storing  
2 instructions that enable the processor-based system to  
3 scroll the data entry area to prevent the data entry area  
4 from being obscured by the keyboard image.

1 13. A system comprising:  
2 a processor; and  
3 a storage coupled to the processor, the storage  
4 storing instructions that enable the processor to display a  
5 keyboard image on a user interface and move a data entry  
6 area on the interface to display the keyboard image.

1 14. The system of claim 13 wherein the storage stores  
2 instructions to enable the processor to move a data entry  
3 area on the interface to enable an unobstructed view of the  
4 keyboard image and the data entry area.

1 15. The system of claim 13 wherein the storage stores  
2 instructions to enable the processor to search for coding  
3 associated with data entry areas to identify the location  
4 of a data entry area.

1        16. The system of claim 15 wherein the storage stores  
2 instructions that enable the processor to search for a  
3 characteristic coding of a web page to locate a data entry  
4 area.

1        17. The system of claim 13 wherein the storage stores  
2 instructions that enable the processor to move data from a  
3 location where a keyboard image is to be positioned and to  
4 position the data at another location on the interface.

1        18. The system of claim 13 further including a touch  
2 screen coupled to the processor.

1        19. The system of claim 13 wherein said storage  
2 stores instructions to determine whether the image will  
3 obscure the data entry area and, if so, to move the data  
4 entry area.

1        20. The system of claim 19 wherein said storage  
2 stores instructions to scroll the display to avoid the  
3 keyboard image from obscuring the data entry area.